











































<p><u>PTO Code</u> 160BE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> 	<p><u>Main Transmission Model</u> ISUZU 5 R W 530 ISUZU MXA 5 R ISUZU NXA 5 R</p>	<p>Gear Type : Left Helix PTO Type : Double Gear Torque Nm : 180 Power Kw : 18 Output Ratio 1000 Rpm : 1:1,32 Mounting Location : Left Side Control System : Mechanical PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 10,60</p>	
<p><u>PTO Code</u> 315VE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> 	<p><u>Main Transmission Model</u> ISUZU 5 R W 530 ISUZU MXA 5 R ISUZU NXA 5 R</p>	<p>Gear Type : Left Helix PTO Type : Double Thread Torque Nm : 180 Power Kw : 18 Output Ratio 1000 Rpm : 1:1,32 Mounting Location : Left Side Control System : Vacuum PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 10,10</p>	
<p><u>PTO Code</u> 301AC2</p> <p><u>Pump Side Connection Type of PTO</u> Square Flange ISO 14 - DIN 5462 - 8x32x36</p> 	<p><u>Main Transmission Model</u> ISUZU EYZ 51 ISUZU MJX 16 P</p>	<p>Gear Type : Left Helix PTO Type : Double Thread Torque Nm : 450 Power Kw : 47 Output Ratio 1000 Rpm : 1:1,88 Mounting Location : Left Side Control System : Pneumatic PTO Shaft Rotation : Left — (Pump Shaft Rotation : Right) Weight Kg. : 15,00</p>	
<p><u>PTO Code</u> 322AC2</p> <p><u>Pump Side Connection Type of PTO</u> Square Flange ISO 14 - DIN 5462 - 8x32x36</p> 	<p><u>Main Transmission Model</u> AUMAN 10 T ISUZU FSR 33 L ISUZU FTR 10 ISUZU MLD 6 A ISUZU MLD 6 D</p>	<p>Gear Type : Left Helix PTO Type : Double Gear - Pump Side Sealing Seal Torque Nm : 450 Power Kw : 47 Output Ratio 1000 Rpm : 1:1,27 Mounting Location : Left Side Control System : Pneumatic PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 16,00</p>	
<p><u>PTO Code</u> 011AE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> 	<p><u>Main Transmission Model</u> HINO LX 06 S ISUZU LX 06 S</p>	<p>Gear Type : Left Helix PTO Type : Double Thread Torque Nm : 531 Power Kw : 55 Output Ratio 1000 Rpm : 1:1,16 Mounting Location : Tail Type Control System : Pneumatic PTO Shaft Rotation : Left — (Pump Shaft Rotation : Right) Weight Kg. : 11,00</p>	

<p><u>PTO Code</u> 292AE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> 	<p><u>Main Transmission Model</u></p> <p>ISUZU M 1 Z 08 ISUZU M 1 Z 11 ISUZU MOZ 06 ISUZU MOZ 79 ISUZU MOZ 85 ISUZU MOZ 92 ISUZU MOZ 95 ISUZU MZZ 5 L</p>	<p>ISUZU MZZ 6 F ISUZU MZZ 6 U JAC LC 5 T 30</p>	<p>Gear Type : Left Helix PTO Type : Double Thread Torque Nm : 250 Power Kw : 26 Output Ratio 1000 Rpm : 1:1,24 Mounting Location : Left Side Control System : Pneumatic PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 8,5</p>	
<p><u>PTO Code</u> 292VE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> 	<p><u>Main Transmission Model</u></p> <p>ISUZU M 1 Z 08 ISUZU M 1 Z 11 ISUZU MOZ 06 ISUZU MOZ 79 ISUZU MOZ 85 ISUZU MOZ 92 ISUZU MOZ 95 ISUZU MZZ 5 L</p>	<p>ISUZU MZZ 6 F ISUZU MZZ 6 U JAC LC 5 T 30</p>	<p>Gear Type : Left Helix PTO Type : Double Thread Torque Nm : 250 Power Kw : 26 Output Ratio 1000 Rpm : 1:1,24 Mounting Location : Left Side Control System : Vacuum PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 8,5</p>	
<p><u>PTO Code</u> 188AE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> 	<p><u>Main Transmission Model</u></p> <p>ISUZU MBJ 5 J ISUZU MBJ 6 U ISUZU MBP 6 P</p>		<p>Gear Type : Left Helix PTO Type : Double Gear Torque Nm : 290 Power Kw : 30 Output Ratio 1000 Rpm : 1:1,30 Mounting Location : Left Side Control System : Pneumatic PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 12,00</p>	
<p><u>PTO Code</u> 188BE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> 	<p><u>Main Transmission Model</u></p> <p>ISUZU MBJ 5 J ISUZU MBJ 6 U ISUZU MBP 6 P</p>		<p>Gear Type : Left Helix PTO Type : Double Gear Torque Nm : 290 Power Kw : 30 Output Ratio 1000 Rpm : 1:1,30 Mounting Location : Left Side Control System : Mechanical PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 12,00</p>	
<p><u>PTO Code</u> 252BE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> 	<p><u>Main Transmission Model</u></p> <p>ISUZU MOY 9 F ISUZU MOYCR ISUZU MOYMR ISUZU MOYNA ISUZU MOYNC ISUZUZ MOYNB ISUZU MOYPZ ISUZU MOYUK</p>	<p>ISUZU MYY 5 A ISUZU MYY 5 T ISUZU MYY 6 P ISUZU MYY 6 S ISUZU MZZ 6 U ISUZU MZZ 6 W</p>	<p>Gear Type : Left Helix PTO Type : Double Gear Torque Nm : 170 Power Kw : 18 Output Ratio 1000 Rpm : 1:1,03 Mounting Location : Left Side Control System : Mechanical PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 11,00</p>	

<p><u>PTO Code</u> 311AE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> 	<p><u>Main Transmission Model</u></p> <p>ISUZU MOY 9 F ISUZU MOYCR ISUZU MOYMR ISUZU MOYNA ISUZU MOYNC ISUZUZ MOYNB ISUZU MOYPZ ISUZU MOYUK</p>	<p>ISUZU MYY 5 A ISUZU MYY 5 T ISUZU MYY 6 P ISUZU MYY 6 S ISUZU MZZ 6 U ISUZU MZZ 6 W</p>	<p>Gear Type : Left Helix PTO Type : Double Thread Torque Nm : 250 Power Kw : 26 Output Ratio 1000 Rpm : 1:1,03 Mounting Location : Left Side Control System : Havalı PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 11</p>	
<p><u>PTO Code</u> 311VE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> 	<p><u>Main Transmission Model</u></p> <p>ISUZU MOY 9 F ISUZU MOYCR ISUZU MOYMR ISUZU MOYNA ISUZU MOYNC ISUZUZ MOYNB ISUZU MOYPZ ISUZU MOYUK</p>	<p>ISUZU MYY 5 A ISUZU MYY 5 T ISUZU MYY 6 P ISUZU MYY 6 S ISUZU MZZ 6 U ISUZU MZZ 6 W</p>	<p>Gear Type : Left Helix PTO Type : Double Thread Torque Nm : 250 Power Kw : 26 Output Ratio 1000 Rpm : 1:1,03 Mounting Location : Left Side Control System : Vacuum PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 11</p>	
<p><u>PTO Code</u> 338BC7</p> <p><u>Pump Side Connection Type of PTO</u> SAE 10T 16/32 DP</p> 	<p><u>Main Transmission Model</u></p> <p>ISUZU MOY 9 F ISUZU MOYCR ISUZU MOYMR ISUZU MOYNA ISUZU MOYNC ISUZUZ MOYNB ISUZU MOYPZ ISUZU MOYUK</p>	<p>ISUZU MYY 5 A ISUZU MYY 5 T ISUZU MYY 6 P ISUZU MYY 6 S ISUZU MZZ 6 U ISUZU MZZ 6 W</p>	<p>Gear Type : Left Helix PTO Type : Double Thread Torque Nm : 170 Power Kw : 18 Output Ratio 1000 Rpm : 1:1,03 Mounting Location : Left Side Control System : Mechanical PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 14,00</p>	
<p><u>PTO Code</u> 383VC2M</p> <p><u>Pump Side Connection Type of PTO</u> Square Flange ISO 14 - DIN 5462 - 8x32x36</p> 	<p><u>Main Transmission Model</u></p> <p>ISUZU MOY 9 F ISUZU MOYCR ISUZU MOYMR ISUZU MOYNA ISUZU MOYNC ISUZUZ MOYNB ISUZU MOYPZ ISUZU MOYUK</p>	<p>ISUZU MYY 5 A ISUZU MYY 5 T ISUZU MYY 6 P ISUZU MYY 6 S ISUZU MZZ 6 U ISUZU MZZ 6 W</p>	<p>Gear Type : Sol Helis PTO Type : Double Gear - Pump Side Sealing Seal - Switch Torque Nm : 250 Power Kw : 26 Output Ratio 1000 Rpm : 1:1,03 Mounting Location : Left Side Control System : Vacuum PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 16,20</p>	
<p><u>PTO Code</u> 326AE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> 	<p><u>Main Transmission Model</u></p> <p>ISUZU MOZ 79</p>		<p>Gear Type : Left Helix PTO Type : Double Thread Torque Nm : 200 Power Kw : 20 Output Ratio 1000 Rpm : 1:1,67 Mounting Location : Left Side Control System : Pneumatic PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 13,50</p>	

<p><u>PTO Code</u> 082BE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> 	<p><u>Main Transmission Model</u> ISUZU MRP 58 P ISUZU MRP 59 ISUZU MSA 5 G ISUZU MSA 5 P ISUZU MSA 5 R</p>	<p>Gear Type : Left Helix PTO Type : Double Thread Torque Nm : 180 Power Kw : 18 Output Ratio 1000 Rpm : 1:1,32 Mounting Location : Left Side Control System : Mechanical PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 11,00</p>	
<p><u>PTO Code</u> 314VE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> 	<p><u>Main Transmission Model</u> ISUZU MRP 58 P ISUZU MRP 59 ISUZU MSA 5 G ISUZU MSA 5 P ISUZU MSA 5 R</p>	<p>Gear Type : Left Helix PTO Type : Double Thread Torque Nm : 170 Power Kw : 17 Output Ratio 1000 Rpm : 1:1,32 Mounting Location : Left Side Control System : Vacuum PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 10,60</p>	
<p><u>PTO Code</u> 103BE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> 	<p><u>Main Transmission Model</u> ISUZU MSB 5 M ISUZU MSB 5 P ISUZU MSB 5 S</p>	<p>Gear Type : Left Helix PTO Type : Double Thread Torque Nm : 180 Power Kw : 18 Output Ratio 1000 Rpm : 1:1,43 Mounting Location : Left Side Control System : Mechanical PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 10,60</p>	
<p><u>PTO Code</u> 316VE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> 	<p><u>Main Transmission Model</u> ISUZU MSB 5 M ISUZU MSB 5 P ISUZU MSB 5 S</p>	<p>Gear Type : Left Helix PTO Type : Double Thread Torque Nm : 200 Power Kw : 20 Output Ratio 1000 Rpm : 1:1,43 Mounting Location : Left Side Control System : Vacuum PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 10,60</p>	
<p><u>PTO Code</u> 384VE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> 	<p><u>Main Transmission Model</u> ISUZU MVC MOG 21 ISUZU MVC MOG 66</p>	<p>Gear Type : Left Helix PTO Type : Double Thread Torque Nm : 200 Power Kw : 21 Output Ratio 1000 Rpm : 1:1,06 Mounting Location : Left Side Control System : Pneumatic PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 12,00</p>	

<u>PTO Code</u> 364AC2	<u>Pump Side Connection Type of PTO</u> Square Flange ISO 14 - DIN 5462 - 8x32x36 	<u>Main Transmission Model</u> ISUZU MZW 6 P ISUZU MW 02 B ISUZU MW00M-T1938805	Gear Type : Right Helix PTO Type : Three Gear Torque Nm : 280 Power Kw : 24 Output Ratio 1000 Rpm : 1:1,00 Mounting Location : Left Side Control System : Pneumatic PTO Shaft Rotation : Right — (Pump Shaft Rotation : Left) Weight Kg. : 21,50	
---------------------------	--	--	--	---