







<p><u>PTO Code</u> 074AE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> <p>HEMA</p>	<p><u>Main Transmission Model</u> EATON 475 SMA EATON 475 SMO HEMA 475</p>	<p>Gear Type : Flat PTO Type : Double Thread Torque Nm : 300 Power Kw : 31 Output Ratio 1000 Rpm : 1:1,43 Mounting Location : Left and Right Side Control System : Pneumatic PTO Shaft Rotation : Right and Left — (Pump Shaft Rotation : Left And Right) Weight Kg. : 10,70</p>	
<p><u>PTO Code</u> 134AE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> <p>HEMA</p>	<p><u>Main Transmission Model</u> EATON 475 SMA EATON 475 SMLX EATON 475 SMO HEMA 475 IVECO 475 SML X L</p>	<p>Gear Type : Flat PTO Type : Double Gear Torque Nm : 250 Power Kw : 26 Output Ratio 1000 Rpm : 1:1,00 Mounting Location : Tail Type Control System : Pneumatic PTO Shaft Rotation : Left — (Pump Shaft Rotation : Right) Weight Kg. : 9,00</p>	
<p><u>PTO Code</u> 087AE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> <p>HEMA</p>	<p><u>Main Transmission Model</u> EATON 540 HEMA 540</p>	<p>Gear Type : Left Helix PTO Type : Double Thread Torque Nm : 250 Power Kw : 26 Output Ratio 1000 Rpm : 1:1,43 Mounting Location : Right Side Control System : Pneumatic PTO Shaft Rotation : Right — (Pump Shaft Rotation : Left) Weight Kg. : 11,00</p>	
<p><u>PTO Code</u> 073AE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> <p>HEMA</p>	<p><u>Main Transmission Model</u> EATON 542 CMA EATON 542 CMD EATON 542 SMJ EATON 542 SMO EATON 570 SMS HEMA 542 SMJ HEMA 570 SMS</p>	<p>Gear Type : Flat PTO Type : Double Thread Torque Nm : 300 Power Kw : 31 Output Ratio 1000 Rpm : 1:1,36 Mounting Location : Left Side Control System : Pneumatic PTO Shaft Rotation : Left — (Pump Shaft Rotation : Right) Weight Kg. : 10,70</p>	
<p><u>PTO Code</u> 083AE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> <p>HEMA</p>	<p><u>Main Transmission Model</u> EATON 542 CMA EATON 542 CMD EATON 542 SMJ EATON 542 SMO EATON 570 SMS HEMA 542 SMJ HEMA 570 SMS</p>	<p>Gear Type : Flat PTO Type : Double Thread Torque Nm : 300 Power Kw : 31 Output Ratio 1000 Rpm : 1:1,50 Mounting Location : Right Side Control System : Pneumatic PTO Shaft Rotation : Right — (Pump Shaft Rotation : Left) Weight Kg. : 11,00</p>	

<u>PTO Code</u>	<u>Pump Side Connection Type of PTO</u>	<u>Main Transmission Model</u>		
215AC2	Square Flange ISO 14 - DIN 5462 - 8x32x36	EATON 542 CMA EATON 542 CMD	Gear Type : Right Helix PTO Type : Double Gear Torque Nm : 450 Power Kw : 47	
215AE	6 Keyway Milling Spindle Output 6x21x25 - UNI	EATON 542 SMJ EATON 542 SMO EATON 570 SMS HEMA 542 SMJ HEMA 570 SMS	Output Ratio 1000 Rpm : 1:1,31 Mounting Location : Tail Type Control System : Pneumatic PTO Shaft Rotation : Right — (Pump Shaft Rotation : Left) Weight Kg. : 9,40	

