


















<p><u>PTO Code</u> 298BE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p>  <p>HYUNDAI</p>	<p><u>Main Transmission Model</u> HYUNDAI 5.38 / 0.722 HYUNDAI VT 3.5 T-C / 5 Vites</p>	<p>Gear Type : Right Helix PTO Type : Single Thread Torque Nm : 150 Power Kw : 15 Output Ratio 1000 Rpm : 1:1,00 Mounting Location : Left Side Control System : Mechanical PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 8,00</p>	
<p><u>PTO Code</u> 309VE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p>  <p>HYUNDAI</p>	<p><u>Main Transmission Model</u> HYUNDAI 5.38 / 0.722 HYUNDAI VT 3.5 T-C / 5 Vites</p>	<p>Gear Type : Right Helix PTO Type : Single Thread Torque Nm : 150 Power Kw : 16 Output Ratio 1000 Rpm : 1:1,00 Mounting Location : Left Side Control System : Vacuum PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 8,40</p>	
<p><u>PTO Code</u> 293VC3</p> <p><u>Pump Side Connection Type of PTO</u> Shaft End Coupled With Spline 6x21x25 - UNI</p>  <p>HYUNDAI</p>	<p><u>Main Transmission Model</u> HYUNDAI CA 5-38 HA 01</p>	<p>Gear Type : Left Helix PTO Type : Double Thread Torque Nm : 170 Power Kw : 17 Output Ratio 1000 Rpm : 1:1,03 Mounting Location : Left Side Control System : Vacuum PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 11,5</p>	
<p><u>PTO Code</u> 268AE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p>  <p>HYUNDAI</p>	<p><u>Main Transmission Model</u> HYUNDAI HD 120</p>	<p>Gear Type : Left Helix PTO Type : Double Thread Torque Nm : 180 Power Kw : 19 Output Ratio 1000 Rpm : 1:1,18 Mounting Location : Left Side Control System : Pneumatic PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 12,00</p>	
<p><u>PTO Code</u> 051BE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p>  <p>HYUNDAI</p>	<p><u>Main Transmission Model</u> HYUNDAI M 1 S 5 HYUNDAI M 2 S 5 HYUNDAI M 3 S 5 MITSUBISHI M 1 S 5 MITSUBISHI M 2 S 5 MITSUBISHI M 3 S 5</p>	<p>Gear Type : Flat PTO Type : Single Thread Torque Nm : 180 Power Kw : 18 Output Ratio 1000 Rpm : 1:1,00 Mounting Location : Left Side Control System : Mechanical PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 8,40</p>	

<p><u>PTO Code</u> 305VE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> 	<p><u>Main Transmission Model</u> HYUNDAI M 1 S 5 HYUNDAI M 2 S 5 HYUNDAI M 3 S 5 MITSUBISHI M 1 S 5 MITSUBISHI M 2 S 5 MITSUBISHI M 3 S 5</p>	<p>Gear Type : Flat PTO Type : Single Thread Torque Nm : 180 Power Kw : 18 Output Ratio 1000 Rpm : 1:1,00 Mounting Location : Left Side Control System : Vacuum PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 8,40</p>	
<p><u>PTO Code</u> 328VE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> 	<p><u>Main Transmission Model</u> HYUNDAI MIGHTY WIDE 6.701 / 0732 HYUNDAI T 060 S 6 MITSUBISHI TO 60 S 5</p>	<p>Gear Type : Left Helix PTO Type : Double Thread Torque Nm : 200 Power Kw : 20 Output Ratio 1000 Rpm : 1:1,06 Mounting Location : Left Side Control System : Vacuum PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 7,60</p>	
<p><u>PTO Code</u> 167BE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> 	<p><u>Main Transmission Model</u> HYUNDAI MO 35 S 5 MITSUBISHI MO 35 S 5 MITSUBISHI MO 35 T 6</p>	<p>Gear Type : Right Helix PTO Type : Single Gear Torque Nm : 150 Power Kw : 15 Output Ratio 1000 Rpm : 1:1,00 Mounting Location : Left Side Control System : Mechanical PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 8,50</p>	
<p><u>PTO Code</u> 306VE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> 	<p><u>Main Transmission Model</u> HYUNDAI MO 35 S 5 MITSUBISHI MO 35 S 5 MITSUBISHI MO 35 T 6</p>	<p>Gear Type : Right Helix PTO Type : Single Thread Torque Nm : 200 Power Kw : 21 Output Ratio 1000 Rpm : 1:1,00 Mounting Location : Left Side Control System : Vacuum PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 8,40</p>	