































<p><u>PTO Code</u> 334VE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> <p>IVECO</p>	<p><u>Main Transmission Model</u> I V E C O</p> <p>2840.6 012A12 2840.6 17N11 2840.6 013M11 2840.6 20611 2840.6 03M11 2840.6 22L07 2840.6 03N11 2840.6 20N09 2840.6 08N11 2840.6 13F11 ZF 6 S 380 2840.6 13P11</p>	<p>Gear Type : Left Helix PTO Type : Double Thread Torque Nm : 180 Power Kw : 18 Output Ratio 1000 Rpm : 1:1,30 Mounting Location : Left Side Control System : Vacuum PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 12,00</p>	
<p><u>PTO Code</u> 077AE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> <p>IVECO</p>	<p><u>Main Transmission Model</u></p> <p>IVECO 1.120.060 IVECO 1.128.060 IVECO 1.128.025 IVECO 28.046 IVECO 1.128.030 IVECO 1.128.035 IVECO 1.128.042 IVECO 1.128.046 IVECO 1.128.050 IVECO 1.128.055</p>	<p>Gear Type : Flat PTO Type : Single Thread Torque Nm : 250 Power Kw : 26 Output Ratio 1000 Rpm : 1:1,00 Mounting Location : Tail Type Control System : Pneumatic PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 6,00</p>	
<p><u>PTO Code</u> 094AE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> <p>IVECO</p>	<p><u>Main Transmission Model</u></p> <p>IVECO 1.128.020 IVECO 1.128.028 IVECO 1.128.031 IVECO 1.128.128 IVECO 2828.5 IVECO 35.9 IVECO 65.9</p>	<p>Gear Type : Flat PTO Type : Double Thread Torque Nm : 200 Power Kw : 20 Output Ratio 1000 Rpm : 1:1,33 Mounting Location : Right Side Control System : Pneumatic PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 8,30</p>	
<p><u>PTO Code</u> 094BE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> <p>IVECO</p>	<p><u>Main Transmission Model</u></p> <p>IVECO 1.128.020 IVECO 1.128.028 IVECO 1.128.031 IVECO 1.128.128 IVECO 2828.5 IVECO 35.9 IVECO 65.9</p>	<p>Gear Type : Flat PTO Type : Double Thread Torque Nm : 200 Power Kw : 20 Output Ratio 1000 Rpm : 1:1,33 Mounting Location : Right Side Control System : Mechanical PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 8,30</p>	
<p><u>PTO Code</u> 172BE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> <p>IVECO</p>	<p><u>Main Transmission Model</u></p> <p>IVECO 2826.5</p>	<p>Gear Type : Right Helix PTO Type : Double Gear Torque Nm : 165 Power Kw : 17 Output Ratio 1000 Rpm : 1:1,10 Mounting Location : Left Side Control System : Mechanical PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 11,00</p>	


<p><u>PTO Code</u> 213BE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> <p>IVECO</p>	<p><u>Main Transmission Model</u></p> <p>IVECO 2830.5 IVECO 5 S 200 IVECO 5 S 300 ZF 5 S 200 ZF 5 S 270 VO ZF 6 S 350</p>	<p>Gear Type : Left Helix PTO Type : Double Gear Torque Nm : 250 Power Kw : 26 Output Ratio 1000 Rpm : 1:1,00 Mounting Location : Left Side Control System : Mechanical PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 11,50</p>															
<p><u>PTO Code</u> 335VE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> <p>IVECO</p>	<p><u>Main Transmission Model</u></p> <p>IVECO 2830.5 IVECO 5 S 200 IVECO 5 S 300 ZF 5 S 200 ZF 5 S 270 VO ZF 6 S 350</p>	<p>Gear Type : Left Helix PTO Type : Double Thread Torque Nm : 210 Power Kw : 22 Output Ratio 1000 Rpm : 1:1,00 Mounting Location : Left Side Control System : Vacuum PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 11,00</p>															
<p><u>PTO Code</u> 353VE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> <p>IVECO</p>	<p><u>Main Transmission Model</u></p> <p>IVECO 2835.6</p>	<p>Gear Type : Left Helix PTO Type : Double Thread Torque Nm : 180 Power Kw : 18 Output Ratio 1000 Rpm : 1:1,23 Mounting Location : Left Side Control System : Vacuum PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 10,00</p>															
<p><u>PTO Code</u> 289BE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> <p>IVECO</p>	<p><u>Main Transmission Model</u></p> <p>I V E C O</p> <table border="0"> <tr> <td>2840.6 012A12</td> <td>2840.6 17N11</td> </tr> <tr> <td>2840.6 013M11</td> <td>2840.6 20611</td> </tr> <tr> <td>2840.6 03M11</td> <td>2840.6 22L07</td> </tr> <tr> <td>2840.6 03N11</td> <td>2840.6 20N09</td> </tr> <tr> <td>2840.6 08N11</td> <td></td> </tr> <tr> <td>2840.6 13F11</td> <td>ZF 6 S 380</td> </tr> <tr> <td>2840.6 13P11</td> <td></td> </tr> </table>	2840.6 012A12	2840.6 17N11	2840.6 013M11	2840.6 20611	2840.6 03M11	2840.6 22L07	2840.6 03N11	2840.6 20N09	2840.6 08N11		2840.6 13F11	ZF 6 S 380	2840.6 13P11		<p>Gear Type : Left Helix PTO Type : Double Thread Torque Nm : 180 Power Kw : 18 Output Ratio 1000 Rpm : 1:1,30 Mounting Location : Left Side Control System : Mechanical PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 11,00</p>	
2840.6 012A12	2840.6 17N11																
2840.6 013M11	2840.6 20611																
2840.6 03M11	2840.6 22L07																
2840.6 03N11	2840.6 20N09																
2840.6 08N11																	
2840.6 13F11	ZF 6 S 380																
2840.6 13P11																	
<p><u>Pto Kodu</u> 342VE</p> <p><u>PTO'nun Pompa Tarafi Bağlantı Tipi</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> <p>IVECO</p>	<p><u>Modeli</u> <u>Modeli</u></p> <p>I V E C O</p> <table border="0"> <tr> <td>2840.6 / 013 M 13</td> <td>2840.6 / 13 A 12</td> </tr> <tr> <td>2840.6 / 01 L 14</td> <td>2840.6 / 14610</td> </tr> <tr> <td>2840.6 / 012 A 12</td> <td>2840.6 / 16 E 13</td> </tr> <tr> <td>2840.6 / 02 D 13</td> <td>2840.6 / 19 E 15</td> </tr> <tr> <td>2840.6 / 02 L 15</td> <td>2840.6 / 19L17</td> </tr> <tr> <td>2840.6 / 06 M 16</td> <td>2840.6 / 21 P 16</td> </tr> <tr> <td>2840.6 / 11 A 17</td> <td>2840.6 / 24H15</td> </tr> </table>	2840.6 / 013 M 13	2840.6 / 13 A 12	2840.6 / 01 L 14	2840.6 / 14610	2840.6 / 012 A 12	2840.6 / 16 E 13	2840.6 / 02 D 13	2840.6 / 19 E 15	2840.6 / 02 L 15	2840.6 / 19L17	2840.6 / 06 M 16	2840.6 / 21 P 16	2840.6 / 11 A 17	2840.6 / 24H15	<p>Gear Type : Left Helix PTO Type : Double Thread Torque Nm : 180 Power Kw : 18 Output Ratio 1000 Rpm : 1:1,17 Mounting Location : Left Side Control System : Vacuum PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 13,00</p>	
2840.6 / 013 M 13	2840.6 / 13 A 12																
2840.6 / 01 L 14	2840.6 / 14610																
2840.6 / 012 A 12	2840.6 / 16 E 13																
2840.6 / 02 D 13	2840.6 / 19 E 15																
2840.6 / 02 L 15	2840.6 / 19L17																
2840.6 / 06 M 16	2840.6 / 21 P 16																
2840.6 / 11 A 17	2840.6 / 24H15																

<p><u>PTO Code</u> 161AE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> <p>IVECO</p>	<p><u>Main Transmission Model</u> IVECO 2845.5 IVECO 2845.6 IVECO 2855.6</p>	<p>Gear Type : Left Helix PTO Type : Double Gear Torque Nm : 250 Power Kw : 26 Output Ratio 1000 Rpm : 1:1,00 Mounting Location : Right Side Control System : Pneumatic PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 10,60</p>	
<p><u>PTO Code</u> 161BE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> <p>IVECO</p>	<p><u>Main Transmission Model</u> IVECO 2845.5 IVECO 2845.6 IVECO 2855.6</p>	<p>Gear Type : Left Helix PTO Type : Double Gear Torque Nm : 250 Power Kw : 26 Output Ratio 1000 Rpm : 1:1,00 Mounting Location : Right Side Control System : Mechanical PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 10,60</p>	
<p><u>PTO Code</u> 214AE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> <p>IVECO</p>	<p><u>Main Transmission Model</u> IVECO 2845.5 IVECO 2845.6 IVECO 2855.6</p>	<p>Gear Type : Right Helix PTO Type : Double Gear Torque Nm : 250 Power Kw : 26 Output Ratio 1000 Rpm : 1:1,22 Mounting Location : Left Side Control System : Pneumatic PTO Shaft Rotation : Left — (Pump Shaft Rotation : Right) Weight Kg. : 11,20</p>	
<p><u>PTO Code</u> 278AE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> <p>IVECO</p>	<p><u>Main Transmission Model</u> IVECO 2845.5 IVECO 2845.6 IVECO 2855.6</p>	<p>Gear Type : Helix PTO Type : Double Thread Torque Nm : 450 Power Kw : 47 Output Ratio 1000 Rpm : 1:1,21 Mounting Location : Tail Type Control System : Pneumatic PTO Shaft Rotation : Left — (Pump Shaft Rotation : Right) Weight Kg. : 10,00</p>	
<p><u>PTO Code</u> 279AC2</p> <p><u>Pump Side Connection Type of PTO</u> Square Flange ISO 14 - DIN 5462 - 8x32x36</p> <p>IVECO</p>	<p><u>Main Transmission Model</u> IVECO 2845.5 IVECO 2845.6 IVECO 2855.6</p>	<p>Gear Type : Helix PTO Type : Double Gear - Pump Side Sealing Seal Torque Nm : 500 Power Kw : 52 Output Ratio 1000 Rpm : 1:1,16 Mounting Location : Tail Type Control System : Pneumatic PTO Shaft Rotation : Left — (Pump Shaft Rotation : Right) Weight Kg. : 10,50</p>	

<p><u>PTO Code</u> 241AE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> <p>IVECO</p>	<p><u>Main Transmission Model</u> IVECO 2865 A IVECO 2865 S IVECO 2865.6</p>	<p>Gear Type : Helix PTO Type : Double Gear Torque Nm : 300 Power Kw : 31 Output Ratio 1000 Rpm : 1:1,21 Mounting Location : Tail Type Control System : Pneumatic PTO Shaft Rotation : Left — (Pump Shaft Rotation : Right) Weight Kg. : 10,00</p>	
<p><u>PTO Code</u> 242AC2</p> <p><u>Pump Side Connection Type of PTO</u> Square Flange ISO 14 - DIN 5462 - 8x32x36</p> <p>IVECO</p>	<p><u>Main Transmission Model</u> IVECO 2865 A IVECO 2865 S IVECO 2865.6</p>	<p>Gear Type : Helix PTO Type : Double Gear - Pump Side Sealing Seal - Cardan Shaft Torque Nm : 300 Power Kw : 31 Output Ratio 1000 Rpm : 1:1,21 Mounting Location : Tail Type Control System : Pneumatic PTO Shaft Rotation : Left — (Pump Shaft Rotation : Right) Weight Kg. : 10,50</p>	
<p><u>PTO Code</u> 207AEF</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> <p>IVECO</p>	<p><u>Main Transmission Model</u> IVECO 2870.9</p>	<p>Gear Type : Helix PTO Type : Double Gear Torque Nm : 300 Power Kw : 31 Output Ratio 1000 Rpm : 1:1,21 Mounting Location : Tail Type Control System : Pneumatic PTO Shaft Rotation : Right — (Pump Shaft Rotation : Left) Weight Kg. : 11,00</p>	
<p><u>PTO Code</u> 272AC2F</p> <p><u>Pump Side Connection Type of PTO</u> Square Flange ISO 14 - DIN 5462 - 8x32x36</p> <p>IVECO</p>	<p><u>Main Transmission Model</u> IVECO 2895 A IVECO 2895 B 9 IVECO 2895 S IVECO 2895 S 9 IVECO 2895 S 9 IVECO 2895.6 IVECO 2895.9</p>	<p>Gear Type : Helix PTO Type : Double Gear - Pump Side Sealing Seal - Cardan Shaft Torque Nm : 400 Power Kw : 42 Output Ratio 1000 Rpm : 1:1,21 Mounting Location : Tail Type Control System : Pneumatic PTO Shaft Rotation : Left — (Pump Shaft Rotation : Right) Weight Kg. : 11,00</p>	
<p><u>PTO Code</u> 296AEF</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> <p>IVECO</p>	<p><u>Main Transmission Model</u> IVECO 2895 A IVECO 2895 B 9 IVECO 2895 S IVECO 2895 S 9 IVECO 2895 S 9 IVECO 2895.6 IVECO 2895.9</p>	<p>Gear Type : Helix PTO Type : Double Gear - Cardan Shaft Torque Nm : 380 Power Kw : 39 Output Ratio 1000 Rpm : 1:1,21 Mounting Location : Tail Type Control System : Pneumatic PTO Shaft Rotation : Left — (Pump Shaft Rotation : Right) Weight Kg. : 12,00</p>	

<p><u>PTO Code</u> 110AE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> <p>IVECO</p>	<p><u>Main Transmission Model</u> EATON 475 SMLX IVECO 475 SML X L</p>	<p>Gear Type : Right Helix PTO Type : Double Thread Torque Nm : 250 Power Kw : 26 Output Ratio 1000 Rpm : 1:1,25 Mounting Location : Left Side Control System : Pneumatic PTO Shaft Rotation : Left — (Pump Shaft Rotation : Right) Weight Kg. : 11,00</p>	
<p><u>PTO Code</u> 110BE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> <p>IVECO</p>	<p><u>Main Transmission Model</u> EATON 475 SMLX IVECO 475 SML X L</p>	<p>Gear Type : Right Helix PTO Type : Double Thread Torque Nm : 250 Power Kw : 26 Output Ratio 1000 Rpm : 1:1,25 Mounting Location : Left Side Control System : Mechanical PTO Shaft Rotation : Left — (Pump Shaft Rotation : Right) Weight Kg. : 10,00</p>	
<p><u>PTO Code</u> 111AE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> <p>IVECO</p>	<p><u>Main Transmission Model</u> EATON 475 SMLX IVECO 475 SML X L</p>	<p>Gear Type : Left Helix PTO Type : Double Thread Torque Nm : 250 Power Kw : 26 Output Ratio 1000 Rpm : 1:1,25 Mounting Location : Right Side Control System : Pneumatic PTO Shaft Rotation : Right — (Pump Shaft Rotation : Left) Weight Kg. : 11,00</p>	
<p><u>PTO Code</u> 111BE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> <p>IVECO</p>	<p><u>Main Transmission Model</u> EATON 475 SMLX IVECO 475 SML X L</p>	<p>Gear Type : Left Helix PTO Type : Double Thread Torque Nm : 250 Power Kw : 26 Output Ratio 1000 Rpm : 1:1,25 Mounting Location : Right Side Control System : Mechanical PTO Shaft Rotation : Right — (Pump Shaft Rotation : Left) Weight Kg. : 10,00</p>	
<p><u>PTO Code</u> 134AE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> <p>IVECO</p>	<p><u>Main Transmission Model</u> EATON 475 SMA EATON 475 SMLX EATON 475 SMO HEMA 475 IVECO 475 SML X L</p>	<p>Gear Type : Flat PTO Type : Double Gear Torque Nm : 250 Power Kw : 26 Output Ratio 1000 Rpm : 1:1,00 Mounting Location : Tail Type Control System : Pneumatic PTO Shaft Rotation : Left — (Pump Shaft Rotation : Right) Weight Kg. : 9,00</p>	

<p><u>PTO Code</u> 005AE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> <p>IVECO</p>	<p><u>Main Transmission Model</u> IVECO 80.101.0 E 90</p>	<p>Gear Type : Flat PTO Type : Double Thread Torque Nm : 300 Power Kw : 31 Output Ratio 1000 Rpm : 1:1,32 Mounting Location : Right Side Control System : Pneumatic PTO Shaft Rotation : Left — (Pump Shaft Rotation : Right) Weight Kg. : 10,00</p>	
<p><u>PTO Code</u> 079AE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> <p>IVECO</p>	<p><u>Main Transmission Model</u> EATON 3105 DT EATON FSO 10209 EATON 3106 DT EATON FSO 10309 EATON 4105 A EATON FSO 4106 B EATON 4106 A EATON FSO 5206 B EATON 5109 DT EATON V 4106 EATON 5206 A IVECO FSO 5206 B EATON 6406 EATON FS 5209 A</p>	<p>Gear Type : Flat PTO Type : Double Thread Torque Nm : 300 Power Kw : 31 Output Ratio 1000 Rpm : 1:1,33 Mounting Location : Left Rear Cover Control System : Pneumatic PTO Shaft Rotation : Left — (Pump Shaft Rotation : Right) Weight Kg. : 11</p>	
<p><u>PTO Code</u> 141BL</p> <p><u>Pump Side Connection Type of PTO</u> Shaft Output Pin Hole</p> <p>IVECO</p>	<p><u>Main Transmission Model</u> EATON 3105 DT EATON FSO 10209 EATON 3106 DT EATON FSO 10309 EATON 4105 A EATON FSO 4106 B EATON 4106 A EATON FSO 5206 B EATON 5109 DT EATON V 4106 EATON 5206 A IVECO FSO 5206 B EATON 6406 EATON FS 5209 A</p>	<p>Gear Type : Flat PTO Type : Single Gear Torque Nm : 250 Power Kw : 26 Output Ratio 1000 Rpm : 1:1,00 Mounting Location : Tail Type Control System : Mechanical PTO Shaft Rotation : Right — (Pump Shaft Rotation : Left) Weight Kg. : 6,00</p>	
<p><u>PTO Code</u> 190AE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> <p>IVECO</p>	<p><u>Main Transmission Model</u> EATON 3105 DT EATON FSO 10209 EATON 3106 DT EATON FSO 10309 EATON 4105 A EATON FSO 4106 B EATON 4106 A EATON FSO 5206 B EATON 5109 DT EATON V 4106 EATON 5206 A IVECO FSO 5206 B EATON 6406 EATON FS 5209 A</p>	<p>Gear Type : Left Helix PTO Type : Double Gear Torque Nm : 250 Power Kw : 26 Output Ratio 1000 Rpm : 1:1,07 Mounting Location : Left Front Cover Control System : Pneumatic PTO Shaft Rotation : Right — (Pump Shaft Rotation : Left) Weight Kg. : 13,00</p>	
<p><u>PTO Code</u> 222AC2</p> <p><u>Pump Side Connection Type of PTO</u> Square Flange ISO 14 - DIN 5462 - 8x32x36</p> <p>IVECO</p>	<p><u>Main Transmission Model</u> EATON 3105 DT EATON FSO 10209 EATON 3106 DT EATON FSO 10309 EATON 4105 A EATON FSO 4106 B EATON 4106 A EATON FSO 5206 B EATON 5109 DT EATON V 4106 EATON 5206 A IVECO FSO 5206 B EATON 6406 EATON FS 5209 A</p>	<p>Gear Type : Helix PTO Type : Double Gear - Pump Side Sealing Seal Torque Nm : 531 Power Kw : 55 Output Ratio 1000 Rpm : 1:1,16 Mounting Location : Tail Type Control System : Pneumatic PTO Shaft Rotation : Left — (Pump Shaft Rotation : Right) Weight Kg. : 11,00</p>	

<p><u>PTO Code</u> 233AE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p> <p>IVECO</p>	<p><u>Main Transmission Model</u></p> <p>EATON 3105 DT EATON FSO 10209 EATON 3106 DT EATON FSO 10309 EATON 4105 A EATON FSO 4106 B EATON 4106 A EATON FSO 5206 B EATON 5109 DT EATON V 4106 EATON 5206 A IVECO FSO 5206 B EATON 6406 EATON FS 5209 A</p>	<p>Gear Type : Helix PTO Type : Double Gear Torque Nm : 531 Power Kw : 55 Output Ratio 1000 Rpm : 1:1,16 Mounting Location : Tail Type Control System : Pneumatic PTO Shaft Rotation : Left — (Pump Shaft Rotation : Right) Weight Kg. : 10,00</p>	
<p><u>PTO Code</u> 166AC2F</p> <p><u>Pump Side Connection Type of PTO</u> Square Flange ISO 14 - DIN 5462 - 8x32x36</p> <p>IVECO</p>	<p><u>Main Transmission Model</u></p> <p>EATON TS 11612 EATON TS 15612 EATON TS 43612 IVECO TS 11612 IVECO TS 13612 IVECO TS 16612</p>	<p>Gear Type : Düz PTO Type : Double Gear - Pump Side Sealing Seal - Cardan Shaft Torque Nm : 250 Power Kw : 26 Output Ratio 1000 Rpm : 1:1,16 Mounting Location : Tail Type Control System : Pneumatic PTO Shaft Rotation : Left — (Pump Shaft Rotation : Right) Weight Kg. : 16,10</p>	