









| | | | |
|--|---|---|---|
| <p><u>PTO Code</u> 344AD</p> <p><u>Pump Side Connection Type of PTO</u> Flanged - Coupling</p>  | <p><u>Main Transmission Model</u> MAZ</p> | <p>Gear Type : Flat PTO Type : Three Gear Torque Nm : 320 Power Kw : 33 Output Ratio 1000 Rpm : 1:0,71 Mounting Location : Side Control System : Pneumatic PTO Shaft Rotation : Weight Kg. : 20,00</p> |  |
| <p><u>PTO Code</u> 086AD</p> <p><u>Pump Side Connection Type of PTO</u> Flanged - Coupling</p>  | <p><u>Main Transmission Model</u> MAZ 236 MAZ 5334</p> | <p>Gear Type : Flat PTO Type : Double Thread Torque Nm : 300 Power Kw : 31 Output Ratio 1000 Rpm : 1:1,43 Mounting Location : Right Side Control System : Pneumatic PTO Shaft Rotation : Left — (Pump Shaft Rotation : Right) Weight Kg. : 11,00</p> |  |
| <p><u>PTO Code</u> 337AE</p> <p><u>Pump Side Connection Type of PTO</u> 6 Keyway Milling Spindle Output 6x21x25 - UNI</p>  | <p><u>Main Transmission Model</u> GAZ 236 GAZ 238 MAZ 236 MAZ 238 YAMZ 236 YAMZ 238</p> | <p>Gear Type : Flat PTO Type : Double Thread Torque Nm : 280 Power Kw : 29 Output Ratio 1000 Rpm : 1:1,30 Mounting Location : Right Side Control System : Pneumatic PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 13,00</p> |  |
| <p><u>PTO Code</u> 358AC2</p> <p><u>Pump Side Connection Type of PTO</u> Square Flange ISO 14 - DIN 5462 - 8x32x36</p>  | <p><u>Main Transmission Model</u> FULLER 6 J 70 T MAZ 6 J 70 T</p> | <p>Gear Type : Left Helix PTO Type : Double Thread Torque Nm : 320 Power Kw : 33 Output Ratio 1000 Rpm : 1:1,56 Mounting Location : Left Side Control System : Pneumatic PTO Shaft Rotation : Rihgt — (Pump Shaft Rotation : Left) Weight Kg. : 13,00</p> |  |